

TABULAR DESCRIPTION

LAKEL 2J											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course °M(°T)	Magnetic Variation(°)	Distance NM	Turn Direction	Altitude FT	Speed KT	VPA (°)	Navigation Specification
10	IF	LAKEL	-		5.12	0	-	+FL190	-315	-	RNAV1
20	TF	ATA	-	32(36.7)	5.12	12.8	-	+FL190	-280	-	RNAV1
30	HM	ATA	+	231(236)	5.12	-	R	+FL120	-250	-	RNAV1
10	IF	ATA	-	-	5.12	-	-	+FL120	-250	-	RNAV1
20	TF	AA064	-	262(267.3)	5.12	10.4	R	+8700	-210	-	RNAV1
30	TF	ALOLI	-	230(235.5)	5.12	5.8	L	+6900	-210	-	RNAV1
40	TF	GOSLU	-	141(145.8)	5.12	5.4	L	+5200	-210	-	RNAV1

WAYPOINT LIST

LAKEL 2J		
Waypoint Identifier	Coordinates	
LAKEL	431216.00N	0765439.00E
ATA	432229.35N	0770506.95E
AA064	432158.53N	0765054.64E
ALOLI	431840.90N	0764420.60E
GOSLU	431413.06N	0764829.77E

WAYPOINT LIST

PIGAL 2F		
Waypoint Identifier	Coordinates	
PIGAL	433428.00N	0780356.00E
AA080	433443.05N	0774723.42E
AA281	432744.74N	0773130.04E
ATA	432229.35N	0770506.95E
AA064	432158.53N	0765054.64E
ALOLI	431840.90N	0764420.60E
GOSLU	431413.06N	0764829.77E

TABULAR DESCRIPTION

PIGAL 2F											
Serial Number	Path Descriptor	Waypoint Identifier	Fly - over	Course °M(°T)	Magnetic Variation(°)	Distance NM	Turn Direction	Altitude FT	Speed KT	VPA (°)	Navigation Specification
10	IF	PIGAL	-		5.12	0	-	+FL220	-315	-	RNAV1
20	TF	AA080	-	266(271.1)	5.12	12	-	+FL200	-280	-	RNAV1
30	TF	AA281	-	234(238.8)	5.12	13.5	L	+FL170	-280	-	RNAV1
40	TF	ATA	-	250(254.9)	5.12	20	R	+FL120	-250	-	RNAV1
50	TF	AA064	-	262(267.3)	5.12	10.4	R	+8700	-210	-	RNAV1
60	TF	ALOLI	-	230(235.5)	5.12	5.8	L	+6900	-210	-	RNAV1
70	TF	GOSLU	-	141(145.8)	5.12	5.4	L	+5200	-210	-	RNAV1